DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE PUBLIC HEALTH SERVICE FOOD AND DRUG ADMINISTRATION

APPLICATION FOR A VARIANCE FROM 21 CFR 1040.11(c) FOR A LASER LIGHT SHOW, DISPLAY OR DEVICE

Form approved: OMB No. 0910-0025 **Expiration Date:** October 31 2000

	l			October 51, 2000		
	533	3 704 158 22	ROSE	DOCKET NUMBER		
NOTE: No laser light show or display device ma approval of this application in accordance	y vary from compliance with 21 CFR 1010.4.	th 21 CFR 1040.11(c) in des	ign or use without	the		
1. Check all applicable boxes and type or print the requested information. 2. Submit an original and four (4) copies. 3. Mail your application to the FDA Dockets Management Branch, Room 1065, 5630 Fishers Lane, Rockville, MD 20852. 4. Enter Docket Number if assigned. 1. NAME OF COMPANY - New Jersey State Museum Planetarium 2. ADDRESS OF COMPANY (Include ZIP Code) 205 West State Street, Trenton, NJ 08625 3. NAME OF RESPONSIBLE PERSON 4. TELEPHONE NO. (Include area code) 5. DATE OF SUBMISSION Jay Schwartz 609-292-6303 August 28, 2003 4. The applicant requests the variance to be in effect for a period of 2. years from the date of issue and requests to manufacture 1 units under this variance. (In general the Agency will approve a variance for only two years. If a longer period is requested a justification must be attached as part of the application.) 7. PRODUCT DESCRIPTION AND USE 4. LIST NAME AND MODEL NUMBER(S) 4. Laser Fantasy International - Rainbow I Projector with Coherent Star C laser b. PRODUCT FOR WHICH A VARIANCE IS REQUESTED () A LASER DISPLAY DEVICE () A PROJECTOR FOR A LASER LIGHT SHOW (X) A PROJECTOR FOR A LASER LIGHT SHOW (X) A PROJECTOR FOR A LASER LIGHT SHOW (X) A PROJECTOR FOR A LA						
() AT A VARIETY OF (tour) LOCATIONS () OTHER (Specify)		() STATIONARY IRRADIATION OF ROTATING MIRROR BALL(S) OR OTHER MIRRORED SHAPES () SCANNING IRRADIATION OF ROTATING MIRROR BALL(S) (X) FIBER OPTIC PROJECTIONS (X) FOG, SMOKE OR OTHER SCATTERING EFFECTS () OTHER (Specify)				
8.		DIATION LEVELS				
LASER MEDIUM (Ar, He-Ne, etc.)	WAVELENGTHS (nm) 457.9 – 647.1		P)	EAK POWER (Watts)		
Argon & HeNe				300mW		
9. IF ANY LASER RADIATION'S PULSED OR SCA AMPLITUDE. Laser system scans CW at 0	NNED, GIVE THE PULS 0- 30,000 pps, with an	E DURATION AND RATE amplitude of ~90 degr	AND SCANNING rees optical.	FREQUENCY AND		
10. REASON FOR REQUESTING VARIANCE () COMPLIANCE WITH THE LIMITS OR 21 OF BECAUSE COMPLIANCE WOULD LIMIT SUFFICIENTLY VISIBLE (X) OTHER OR ADDITIONAL EXPLANATION	THE OUTPUT POWER T	O THE EXTENT THAT TH	IE DESIRED EFFI	ECTS WOULD NOT BE		

- 11. MANNER IS WHICH I'T IS PROPOSED TO DEVIATE FROM THE REQUIREMENTS OF THE APPLICABLE STANDARD
- (X) IT IS PROPOSED TO DEVIATE FROM THE PROVISIONS OF 21 CFR 1040.11(c) IN THAT THE ACCESSIBLE EMISSION LEVEL WOULD EXCEED THE ACCESSIBLE EMISSION LIMITS OF CLASS I OR CLASS II
- () IT IS PROPOSED TO DEVIATE FROM THE PROVISION OF 21 CFR 1040.11(c) AS FOLLOWS:
- 12. ADVANTAGES TO BE DERIVED FROM SUCH DEVIATION
- (X) LASER LIGHT SHOWS AND DISPLAYS ARE ACCEPTED POPULAR MEDIA IN ENTERTAINMENT AND THE ARTS, USE OF POWER LEVELS IN EXCESS OF THE LIMITS IMPOSED BY 21 CFR 1040.11(c) IS NECESSARY TO ACHIEVE THE REQUIRED EFFECTS IN THESE MEDIA.
- () OTHER OR ADDITIONAL ADVANTAGES (describe and explain)
- 13 EXPLAIN THE ALTERNATE MEANS OF RADIATION PROTECTION TO BE PROVIDED. (Check as many boxes, as apply. Explain any boxes not checked using additional sheets as necessary. If appropriate, state any other means of radiation protection that will be used)
- a. (X) ALL LASER PRODUCTS, SYSTEMS AND PROJECTORS WILL COMPLY WITH 21 CFR 1040.10 FOR LASER PRODUCTS OF THEIR CLASS (Specify class(es)) IV
- b. (X) LASER AND COLLATERAL RADIATION MEASURED WHERE THE AUDIENCE IS LOCATED, SHALL NOT EXCEED THE LIMITS OF CLASS 1 DURING OPERATION (includes reflections from targets and scattering materials).
- c. (X) OPERATORS, PERFORMERS AND EMPLOYEES WILL BE ABLE TO PERFORM THEIR FUNCTIONS WITHOUT THE NEED TO VIEW LASER AND COLLATERAL RADIATION IN EXCESS OF THE LIMITS OF CLASS I AND WITHOUT BEING EXPOSED TO LASER RADIATION IN EXCESS OF THE LIMITS OF CLASS II. HUMAN EXPOSURE TO CLASS III OR CLASS IV LEVELS OR RADIATION SHALL NOT BE PERMITTED.
- d. (X) SCANNING SERVICES, INCLUDING MIRROR BALLS, WILL INCORPORATE A SCANNING SAFEGUARD TO PREVENT LASER EMISSION IF SCAN FAILURE OR OTHER FAILURE CAUSING A CHANGE IN EITHER SCAN VELOCITY OR AMPLITUDE WOULD RESULT IN VIOLATION OF ITEMS 13b OR 13c.
- e.(X) WHEN LASER LIGHT SHOW OR DISPLAYS ARE NOT OPERATED AT ALL TIMES UNDER THE DIRECT CONTROL OF AN OPERATOR, LASER RADIATION LEVELS WILL NOT EXCEED THE LIMITS OF CLASS II AT ANY POINT LESS THAN 6 METERS ABOVE ANY SURFACE UPON WHICH A PERSON IN THE AUDIENCE IS PERMITTED TO STAND, OR AT ANY POINT LESS THAN 2.5 METERS IN LATERAL SEPARATION FROM OR BELOW ANY POSITION WHERE A PERSON IN THE AUDIENCE IS PERMITTED DURING THE PERFORMANCE OR DISPLAY. A DESIGNATED PERSON(S) WELL BE RESPONSIBLE, AT ALL TIMES DURING THE SOW OR DISPLAY, FOR THE IMMEDIATE TERMINATION OF LASER RADIATION IN THE EVENT OF EQUIPMENT MALFUNCTION, AUDIENCE UNRULINESS, OR OTHER UNSAFE CONDITIONS. ONE OR MORE READILY ACCESSIBLE CONTROLS TO EFFECT IMMEDIATE TERMINATION OF LASER RADIATION WILL BE PROVIDED FOR THIS PURPOSE.
- f. (X) WHEN LASER LIGHT SHOWS OR DISPLAYS ARE OPERATED AT ALL TIMES UNDER THE DIRECT CONTROL OF A TRAINED OPERATOR LASER RADIATION LEVELS WILL NOT EXCEED THE LIMITS OR CLASS II AT ANY POINT LESS THAN 3 METERS ABOVE ANY SURFACE UPON WHICH A PERSON IN THE AUDIENCE IS PERMITTED TO STAND OR 2.5 METERS IN LATERAL SEPARATION FROM OR BELOW ANY POSITION WHERE A PERSON IN THE AUDIENCE IS PERMITTED TO BE UNLESS PHYSICAL BARRIERS RESTRICT ACCESS BY THE AUDIENCE TO SUCH LEVELS. THE OPERATOR WILL MAINTAIN CONSTANT SURVEILLANCE OF THE LASER DISPLAY AND IMMEDIATELY TERMINATE EMISSION OF LASER RADIATION IN THE EVENT OF EQUIPMENT MALFUNCTION, AUDIENCE UNRULINESS OR OTHER UNSAFE CONDITIONS.
- g. (X) THE MAXIMUM LEVELS OF LASER RADIATION (output power) WILL NOT EXCEED THOSE REQUIRED TO PERFORM THE INTENDED FUNCTION OF THE PRODUCT.
- h. (X) WRITTEN SET-UP, ALIGNMENT AND TEST PROCEDURES WILL BE PROVIDED TO AND FOLLOWED BY THE OPERATOR OR OTHER RESPONSIBLE PERSON PRIOR TO USE OF A LASER LIGHT SHOW AT EACH LOCATION. THESE STEP-BY-STEP PROCEDURES WILL BE DESIGNED SO THAT WHEN FOLLOWED, THE LASER LIGHT SHOW WILL COMPLY WITH THE CONDITIONS OF THE APPROVED VARIANCE. THE RESULTS OF THE REQUIRED TEST AND CHECKS WILL BE RECORDED AND A COPY RETAINED WITH THE LIGHT SHOW BY THE OPERATOR OR OTHER RESPONSIBLE PERSON. THE RECORD WILL INCLUDE (1) SKETCHES SHOWING THE LOCATION OF THE LASER PROJECTOR(S), OPERATOR(S), PERFORMER(S), AUDIENCE, BEAM PATHS, VIEWING SCREENS, WALLS, MIRROR BALLS, AND OTHER SURFACES THAT MAY BE STRUCK BY THE LASER BEAMS; (2) INFORMATION ON SCANNING PATTERNS, VELOCITY AND FREQUENCY; AND (3) LASER RADIATION LEVELS.
- i. (X) SET-UP, ALIGNMENT, CHECKOUT AND TESTING SHALL BE PERFORMED USING THE MINIMUM LASER RADIATION LEVELS NECESSARY.
- j. (X) PROCEDURES WILL BE ESTABLISHED AND FOLLOWED FOR THE WRITTEN NOTIFICATION OF APPROPRIATE FEDERAL, STATE. AND LOCAL AGENCIES OF THE ITINERARIES, OR ANY OTHER REQUIRED INFORMATION, SPECIFICALLY, THE FEDERAL AVIATION ADMINISTRATION (FAA) WILL BE NOTIFIED IN ADVANCE OF SHOWS USING PROJECTIONS INTO THE SKY. STATE AND LOCAL RADIATION CONTROL OFFICES WILL BE NOTIFIED IN ADVANCE OF ALL SHOWS WITHIN THEIR RESPECTIVE JURISDICTIONS. (Lists of Federal and State offices are available from the Bureau of Radiological Health upon request.)

OF THE VARIANCE, WILL TO THE DIRECTOR, DIVIS ROCKVILLE, MARYLAND	ION OF COMPLIANCE,				
MARKS					
,					
	and the second s	CERTIFIC	CATION		
CERTIFY that all of the above				est of my knowledge a und to be false, mislea	